



Certificate of constancy of performance

0493 - CPR - W021

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

Decorative wall covering, jacquard woven fabric 100% polyester with an acrylic based FR coating

Total mass: 360 g/m²

Total thickness: 0.5 mm

B-s2, d0

Usage glued with vertical joint on plasterboard 13 mm 700 kg/m³ substrate and substrates having a Euroclass A2-s1,d0 or A1 which density is superior to 525kg/m³

produced by or for

SLOTS NV

Olekenbosstraat 27

8570 Anzegem

BELGIUM

and produced in the manufacturing plant (s)

49319

This certificate attests that all provisions concerning the assessment and verification of constancy of performance and the performances described in Annex ZA of the standard(s)

EN 15102:2007


under system 1 are applied and that

the product fulfils (products fulfil) all the prescribed requirements set out above.

This certificate was first issued on July 27th 2020 and will remain valid as long as the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performance of the declared characteristics, do not change, and the product, and the manufacturing conditions in the plant are not modified significantly and latest on July 26th 2023.

This certificate consists of 1 certificate and 1 annex

Zwijnaarde, July 27th 2020


Inge De Witte
Certification Manager

CENTEXBEL • textile competence centre • www.centexbel.be

GENT • Technologiepark 70 • BE 9052 Gent • Belgium • phone +32 9 220 41 51 • fax +32 9 220 49 55 • gent@centexbel.be

VAT • BE 0459.218.289 • IBAN • BE 44 2100 4729 6545 • BIC • GEBABEBB



**Annex
of
Certificate of constancy of performance**

0493 - CPR – W021

Decorative wall covering, jacquard woven fabric 100% polyester with an acrylic based coating containing decabromodiphenyloxid and antimonytrioxid

Related commercial names to this product group are:

- KANVAZZ

The obtained classification is based on the next test reports:

- CREPIM: 1489/02/079 A dd. 17/04/2018

This certificate consists of 1 certificate and 1 annex

